

Hegytípusok T14


Alkalmazható típushoz



- [HAKKO 938](#) Kifutott termék




- Forrasztópáka: [HAKKO 957\(90W\)](#) * With nitrogen guard



Shape BC/C


This type has a shape like a cone or column cut at a slant, which allows users to select the cut surface size depending on the workpiece.

It is used for drag soldering and pre-tinning of lead wires.




T14-BC2 Shape-2BC

B3121 Nozzle assembly A




- T14-BC3 Shape-3BC
B3121 Nozzle assembly A




- T14-C6 Shape-6C
B3124 Nozzle assembly D

Shape B

All-round type which can be used from any direction and is easy to hold at any position.
Possible to solder any surface from small to large.



- T14-B2 Shape-0.5B
B3121 Nozzle assembly A




- T14-LB Shape-LB
B3121 Nozzle assembly A


Shape D

This type has a shape like a flat-blade screwdriver and is capable of soldering by applying the tip in 2 ways: line and face.


The width (size of tip) suitable for the workpiece can be selected, and it can be used for any soldering work.




- T14-D08 Shape-0.8D NEW
B3121 Nozzle assembly A




- T14-D16 Shape-1.6D
B3121 Nozzle assembly A



- T14-D24 Shape-2.4D
B3121 Nozzle assembly A




- T14-D4 Shape-4D NEW
B3124 Nozzle assembly D



- T14-D6 Shape-6D
B3124 Nozzle assembly D

Shape J

This type differs from Shape B and I by bending the tip end and is capable of soldering by applying the tip in 2 ways: face and point.
It is used for drag soldering and correction of bridging.




- T14-J02 Shape-0.2J (Shape-0.2RSB)
B3122 Nozzle assembly B

Shape K


This type has a shape like a knife and is capable of soldering by applying the tip in 3 ways: line, face and point.

It is used for soldering at narrow pitches, correction of bridging and drag soldering.



T14-K Shape-K

B3123 Nozzle assembly C



- T14-KU Shape-KU
B3122 Nozzle assembly B